



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/730,960	12/09/2003	Min-Su Kim	5649-1157	3659
20792 7590 04/07/2009 MYERS BIGEL, SIBLEY & SAJOVEC PO BOX 37428 RALEIGH, NC 27627				
EXAMINER				
FRANKLIN, RICHARD B				
ART UNIT		PAPER NUMBER		
2181				
MAIL DATE		DELIVERY MODE		
04/07/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/730,960

Applicant(s)

KIM ET AL.

Examiner

RICHARD FRANKLIN

Art Unit

2181

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 December 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-5,7,10,20,24,25,27 and 28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-5,7,10,20,24,25,27 and 28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1, 3 – 5, 7, 10, 20, 24 – 25, and 27 – 28 are pending.

Response to Arguments

2. Applicant's arguments filed 11 December 2008 have been fully considered but they are not persuasive.

Applicant argues that the relied upon references, US Patent No. 6,839,774 (hereinafter Ahn) in combination with US Patent No. 5,968,141 (hereinafter Tsai) and US Patent No. 6,028,445 (hereinafter Lawman), do not teach all the limitations of independent claims 1 and 20. Specifically, Applicant argues that Tsai teaches the programming controller 32 receiving instructions and data. Applicant states that in the present invention, the programmable memory controller circuit only receives command information (not data) from the decoder circuit (See remarks filed 11 December 2008; Page 6 and 7). However, while such may be the case in the detailed specification of the present invention, the Examiner respectfully points out that such limitations are not present in the pending claims. While the claims are read and interpreted in light of the specification, limitations from the specification but absent from the claims are not read into the claims. The claims do not limit the programmable memory controller circuit to only receive command information. While command information is transmitted to the programmable memory control circuit in amended independent claim 1, the inclusive format of the claim (by using the transitional term "comprising") means that the claimed invention does not exclude additional, unrecited elements or method steps. See MPEP

§2111.02 Effect of Preamble. Therefore, because of Tsai's teachings, and the inclusive format of the claims, Tsai anticipates transmitting command information to the programmable memory controller circuit, regardless of any other additional information sent to the programmable memory controller circuit.

Applicant also argues that the relied upon references do not teach the buffer circuit that stores data information and address information included in the program data *both* when the programmable memory controller circuit operates and when the general operation circuit operates. The Examiner respectfully submits that such a limitation is not present in the pending claims. The claims do not positively limit the transfer of information to the buffer in the condition when the programmable memory controller circuit operates and when the general operation circuit operates. The claims simply limit the buffer to receiving data and address information, absent of any designation as to when or under which conditions the system is operating. Previously relied upon reference Ahn teaches registers which receive address and data while the programmable memory controller circuit is operating (Ahn; Col 6 Lines 44 – 47). Therefore, the relied upon references teach in combination all the limitations of the pending claims.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3, 5, 7, 20, 24, and 27 – 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,839,774 (hereinafter Ahn) in view of US Patent No. 5,968,141 (hereinafter Tsai) and further in view of US Patent No. 6,028,445 (hereinafter Lawman).

As per claim 1, Ahn teaches programming an electronic device (Ahn; Figure 1 Item 100) by transferring data information and address information included in program data provided from outside the electronic device to a buffer circuit (Ahn; Figure 2 Item 166a – 166c) coupled to a programmable memory (Ahn; Figure 1 Item 130) in the electronic device, without using RAM and ROM devices that are separate from a programmable memory controller circuit (Ahn; Figure 1 Item 160, Col 5 Lines 39 – 43, Col 7 Lines 8 – 11), wherein the programmable memory controller circuit controls programming of the programmable memory (Ahn; Col 2 Lines 60 – 63, Col 5 Lines 39 – 43) in the electronic device that is separate from a general operation processor circuit (Ahn; Figure 1 Item 120) used to provide general operations of the electronic device subsequent to transferring the data information into the programmable memory (Ahn; Col 1 Lines 53 – 59); asserting a signal (Ahn; Figure 1 Item "HALT") to the general operation processor circuit, in response to decoding the programmable memory mapped address by the programmable memory controller circuit (Ahn; Col 5 Lines 63 – 65), to prevent the general operation processor circuit from accessing the programmable memory during transfer of data information into the programmable

memory (Ahn; Col 7 Lines 4 – 6, Col 7 Lines 45 – 50); and then de-asserting the signal to the general operation processor circuit to allow the general operation processor circuit to access the programmable memory (Ahn; Col 7 Lines 45 – 50).

Ahn does not teach transferring command information to the programmable memory controller circuit, wherein the command information is used to generate control signals used in conjunction with data information and address information transferred to the buffer circuit, wherein the control signals are generated by the programmable memory controller circuit; decoding addresses, received without passing through the general operation processor, to determine that data information transferred to the buffer circuit is directed to a programmable memory mapped address information transferred to the buffer circuit; and transmitting an indication to outside the electronic device that the transfer of program data to the programmable memory is complete.

However, Tsai teaches decoding addresses in the programmable memory controller circuit (Tsai; Figure 3 Item 32), received without passing through the general operation processor (Tsai; Figure 3 Item 33), to determine that the transferred data is directed to a programmable memory mapped address to which the transferred data is to be programmed (Tsai; Col 7 Lines 13 – 40).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn to include the address decoding because doing so allows for both normal operation and upgrade operation (Tsai; Col 6 Line 62 – Col 7 Line 3).

Ahn in combination with Tsai does not teach transmitting an indication to outside the electronic device that the transfer of data information to the programmable memory is complete.

However, Lawman teaches transmitting an indication to outside the electronic device that the transfer of data information to the programmable memory is complete (Lawman; Col 6 Lines 18 – 21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn in combination with Tsai to include the indication transmitting because doing so allows for rapid configuration of FPGAs while reducing the cost of any necessary configuration device (Lawman; Col 2 Lines 65 – 67).

As per claim 20, Ahn teaches a circuit for programming a device comprising a controller circuit (Ahn; Figure 1 Item 160, Col 5 Lines 39 – 43, Col 7 Lines 8 – 11) configured to transfer program data from outside the device to a programmable memory (Ahn; Figure 1 Item 160) in the device without using Random Access Memory (RAM) and Read Only Memory (ROM) devices that are separate from the controller circuit (Ahn; Col 5 Lines 39 – 43, Col 7 Lines 8 – 11), the controller circuit being separate from a general operation processor circuit (Ahn; Figure 1 Item 120) used to provide general operations of the device subsequent to transferring the program data into the programmable memory (Ahn; Col 1 Lines 53 – 59). a buffer circuit (Ahn; Figure 2 Item 166a – 166c) coupled to the decoder circuit and the programmable memory and

configured to store data provided to/from the programmable memory. Ahn also teaches wherein the data transfer is specified in a head field and a command/address field data structure received by the controller circuit (Ahn; Col 5 Lines 27 – 32, Col 5 Lines 56 – 63); an interface via which the program data is transferred to the device (Ahn; Figure 2 Item 164. Col 6 Lines 44 – 47); and wherein the controller is configured to assert a signal (Ahn; Figure 1 Item "HALT") to the general operation processor circuit, responsive to decoding the programmable memory mapped address, to prevent the general operation processor circuit from accessing the programmable memory during transfer of program data into the programmable memory (Ahn; Col 5 Lines 63 – 65) and configured to then de-assert the signal to the general operation processor circuit to allow the general operation processor circuit to access the programmable memory after the transfer of the program data to the programmable memory is complete (Ahn; Col 7 Lines 45 – 50).

Ahn does not teach wherein the controller circuit being configured to transmit an indication to outside the electronic device that the transfer of program data to the programmable memory is complete; and a decoder circuit coupled to an interface via which the program data is transferred to the device, the decoder circuit configured to provide a first signal responsive to determining that data received via the interface includes an address within a programmable memory mapped address range and data to be programmed received by the decoder circuit without passing through the general operation processor circuit.

However, Tsai teaches decoding addresses in the programmable memory controller circuit (Tsai; Figure 3 Item 32), received without passing through the general operation processor (Tsai; Figure 3 Item 33), to determine that the transferred data is directed to a programmable memory mapped address to which the transferred data is to be programmed (Tsai; Col 7 Lines 13 – 40).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn to include the address decoding because doing so allows for both normal operation and upgrade operation (Tsai; Col 6 Line 62 – Col 7 Line 3).

Ahn in combination with Tsai does not teach transmitting an indication to outside the electronic device that the transfer of data information to the programmable memory is complete.

However, Lawman teaches transmitting an indication to outside the electronic device that the transfer of data information to the programmable memory is complete (Lawman; Col 6 Lines 18 – 21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn in combination with Tsai to include the indication transmitting because doing so allows for rapid configuration of FPGAs while reducing the cost of any necessary configuration device (Lawman; Col 2 Lines 65 – 67).

As per claim 3, Ahn also teaches wherein the RAM and ROM operate under control of the general operation processor circuit and not under the control of the controller circuit (Ahn; Col 8 Line 56 – Col 9 Line 9).

As per claim 5, Ahn also teaches wherein the transferring the program data further comprises transferring the program data via an Inter-Integrated Circuit interface to the electronic device (Ahn; Col 4 Lines 64 – 66).

As per claim 7, Tsai also teaches wherein the general operation processor circuit accesses separate RAM (Tsai; Figure 3 Item 35) and ROM (Tsai; Figure 3 Item 34) to provide general operations of the electronic device (Tsai; Col 4 Lines 63 – 67, Col 6 Lines 34 – 40).

As per claim 24, Ahn also teaches wherein transferring the program data further comprises transferring the program data via a Serial Interface to the electronic device (Ahn; Col 4 Lines 61 – 64).

As per claims 27 and 28, Ahn also obviously teaches wherein the buffer circuit comprises a programmable memory word or sector sized buffer circuit because Ahn teaches that data is temporarily stored in the buffer during a long write time (Ahn; Col 6 Lines 19 – 22). From this teaching, it is obvious that the buffer is large enough to store the program data and is therefore at least the size of a word.

4. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,839,774 (hereinafter Ahn) in view of US Patent No. 5,968,141 (hereinafter Tsai), further in view of US Patent No. 6,028,445 (hereinafter Lawman) and further in view of US Patent No. 6,295,053 (hereinafter '053 patent).

As per claim 4, Ahn in combination with Tsai and Lawman teaches the method as described per claim 1 (see rejection of claim 1 above).

Ahn in combination with Tsai and Lawman does not teach wherein the program data is transferred via a Video Graphics Adapter (VGA) interface.

However, the '053 patent teaches updating program data by sending the program data over a VGA interface ('053; Figure 3 Item 18, Abstract).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn in combination with Tsai and Lawman to include the VGA interface because doing so allows for programming of the device without the need for a special programming port or interface ('053; Col 6 Lines 61 – 67).

5. Claims 10 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,839,774 (hereinafter Ahn) in view of US Patent No. 5,968,141 (hereinafter Tsai), further in view of US Patent No. 6,028,445 (hereinafter Lawman) and further in view of US Patent No. 6,507,881 (hereinafter Chen).

As per claims 10 and 25, Ahn in combination with Lawman teaches the method as described per claim 1 (see rejection of claim 1 above).

Ahn in combination with Lawman does not teach cycling power provided to the controller circuit to reset the controller circuit.

However, Chen teaches re-booting the system when the programming has completed (Chen; Col 4 Lines 14 – 16).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the teachings of Ahn in combination with Lawman to include the power cycling because doing so would allow for the system to return to a normal operating mode (Chen; Col 4 Lines 14 – 16).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RICHARD FRANKLIN whose telephone number is (571)272-0669. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alford Kindred can be reached on (571) 272-4037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Richard Franklin
/RBF/
Patent Examiner
Art Unit 2181

/Alford W. Kindred/
Supervisory Patent Examiner, Art Unit 2181